

Publikationsliste von Andreas Müller

Referierte Publikationen

- Müller, A. (1995): Morphological specializations in Central European bees for the uptake of pollen from flowers with anthers hidden in narrow corolla tubes (Hymenoptera: Apoidea). *Entomologia Generalis*, 20, 43-57.
- Müller, A. (1996): Convergent evolution of morphological specializations in Central European bee and honey wasp species as an adaptation to the uptake of pollen from nototribic flowers (Hymenoptera, Apoidea and Masaridae). *Biological Journal of the Linnean Society*, 57, 235-252.
- Müller, A. (1996): Host-plant specialization in western palearctic anthidiine bees (Hymenoptera: Apoidea: Megachilidae). *Ecological Monographs*, 66, 235-257.
- Müller, A., Töpfl, W. & Amiet, F. (1996): Collection of extrafloral trichome secretions for nest wool impregnation in the solitary bee *Anthidium manicatum*. *Naturwissenschaften*, 83, 230-232.
- Mauss, V. & Müller, A. (2000): A study of the bionomy of the Spanish pollen wasp *Ceramius hispanicus* Dusmet (Hymenoptera, Vespidae, Masarinae): nesting, mating, and flower associations. *Journal of Hymenoptera Research*, 9, 1-17.
- Müller, A. (2002): *Osmia* (*Melanosmia*) *steinmanni* sp. n., a new bee species from the Swiss Alps (Hymenoptera, Apoidea, Megachilidae). *Revue Suisse de Zoologie*, 109, 803-812.
- Mauss, V., Müller, A. & Yildirim, E. (2003): Nesting and flower associations of the pollen wasp *Ceramius fonscolombei* Latreille, 1810 (Hymenoptera: Vespidae: Masarinae) in Spain. *Journal of the Kansas Entomological Society*, 76, 1-15.
- Müller, A. & Kuhlmann, M. (2003): Narrow flower specialization in two European bee species of the genus *Colletes* (Hymenoptera: Apoidea: Colletidae). *European Journal of Entomology*, 100, 631-635.
- Müller, A. & Bansac, N. (2004): A specialized pollen-harvesting device in western palaeartic bees of the genus *Megachile* (Hymenoptera, Apoidea, Megachilidae). *Apidologie*, 35, 329-337.
- Cozzolino, S., Schiestl, F.P., Müller, A., De Castro, O., Nardella, A.M. & Widmer, A. (2005): Evidence for pollinator sharing in Mediterranean nectar mimic orchids: absence of pre-mating barriers? *Proceedings of the Royal Society of London, Ser. B-Biol. Sci.*, 272, 1271-1278.
- Mauss, V., Müller, A. & Yildirim, E. (2005): First Contribution to the bionomics of the pollen wasp *Ceramius caucasicus*, André 1884 (Hymenoptera,

Vespidae, Masarinae) in Turkey. *Journal of the Kansas Entomological Society*, 78, 201-220.

- Oertli, S., Müller, A. & Dorn, S. (2005): Ecological and seasonal patterns of diversity in a species-rich bee assemblage (Hymenoptera: Apoidea: Apiformes). *European Journal of Entomology*, 102, 53-63.
- Oertli, S., Steiner, D., Breitenstein, A., Müller, A. & Dorn, S. (2005): Cross-taxon congruence of species diversity and community structure among three insect taxa in a mosaic landscape. *Biological Conservation*, 126, 195-205.
- Mauss, V., Müller, A. & Prosi, R. (2006): Mating, nesting and flower associations of the East Mediterranean pollen wasp *Ceramius bureschi* in Greece (Hymenoptera: Vespidae: Masarinae). *Entomologia Generalis*, 29, 1-26.
- Müller, A. (2006): A scientific note on *Bombus inexpectatus* (Tkalcu, 1963): further evidence for a social parasitic mode of life. *Apidologie*, 37, 408-409.
- Müller, A. (2006): Unusual host plant of *Hoplitis pici*, a bee with hooked bristles on its mouthparts (Hymenoptera: Megachilidae: Osmiini). *European Journal of Entomology*, 103, 497-500.
- Müller, A., Diener, S., Schnyder, S., Stutz, K., Sedivy, C. & Dorn, S. (2006): Quantitative pollen requirements of solitary bees: implications for bee conservation and the evolution of bee-flower relationships. *Biological Conservation*, 130, 604-615.
- Müller, A. & Kuhlmann, M. (2008): Pollen hosts of western palaeartic bees of the genus *Colletes* (Colletidae) - the Asteraceae paradox. *Biological Journal of the Linnean Society*, 95, 719-733.
- Praz, C.J., Müller, A., Danforth, B.N., Griswold, T.L., Widmer, A. & Dorn, S. (2008): Phylogeny and biogeography of bees of the tribe Osmiini (Hymenoptera: Megachilidae). *Molecular Phylogenetics and Evolution*, 49, 185-197.
- Praz, C.J., Müller, A. & Dorn, S. (2008): Host recognition in a pollen-specialist bee: evidence for a genetic basis. *Apidologie*, 39, 547-557.
- Praz, C.J., Müller, A. & Dorn, S. (2008): Specialized bees fail to develop on non-host pollen: do plants chemically protect their pollen? *Ecology*, 89, 795-804.
- Sedivy, C., Praz, C.J., Müller, A., Widmer, A. & Dorn, S. (2008): Patterns of host-plant choice in bees of the genus *Chelostoma*: the constraint hypothesis of host-range evolution in bees. *Evolution*, 62, 2487-2507.

- Ungricht, S., Müller, A. & Dorn, S. (2008): A taxonomic catalogue of the Palaearctic bees of the tribe Osmiini (Hymenoptera: Apoidea: Megachilidae). *Zootaxa*, 1865, 1-253.
- Scopece, G., Juillet, N., Müller, A., Schiestl, F.P. and Cozzolino, S. (2009): Pollinator attraction in *Anacamptis papilionacea* (Orchidaceae): a food or a sex promise? *Plant Species Biology*, 24, 109-114.
- Mauss, V., Müller, A. and Yildirim, E. (2010): First contribution to the bionomics of the pollen wasp *Ceramius palaestinus* (Giordani Soika 1957) (Hymenoptera, Vespidae, Masarinae) in Turkey. *Entomological Science*, 13, 42-59.
- Rozen, J.G., Özbek, H., Ascher, J.S., Sedivy, C., Praz, C., Monfared, A. and Müller, A. (2010): Nests, petal usage, floral preferences, and immatures of *Osmia* (*Ozbekosmia*) *avosetta* (Megachilidae: Megachilinae: Osmiini), including biological comparisons with other osmiine bees. *American Museum Novitates*, 3680, 1-22.
- Zurbuchen, A., Landert, L., Klaiber, J., Müller, A., Hein, S. and Dorn, S. (2010): Maximum foraging ranges in solitary bees: only few individuals have the capability to cover long foraging distances. *Biological Conservation*, 143, 669-676.
- Zurbuchen, A., Cheesman, S., Klaiber, J., Müller, A., Hein, S. and Dorn, S. (2010): Long foraging distances impose high costs on offspring production in solitary bees. *Journal of Animal Ecology*, 79, 674-681.
- Zurbuchen, A., Bachofen, C., Müller, A., Hein, S. and Dorn, S. (2010): Are landscape structures insurmountable barriers for foraging bees? A mark-recapture study with two solitary pollen-specialist species. *Apidologie*, 41, 497-508.
- Sedivy, C., Müller, A. and Dorn, S. (2011): Closely related pollen generalist bee species differ in their ability to develop on the same pollen diet: evidence for physiological adaptations to digest pollen. *Functional Ecology*, 25, 718-725.
- Müller, A. (2012): New European bee species of the tribe Osmiini (Hymenoptera: Apoidea: Megachilidae). *Zootaxa*, 3355, 29-50.
- Müller, A. (2012): *Osmia* (*Orientosmia*) *maxschwarzi* sp. n., a new Palaearctic osmiine bee with extraordinarily long mouthparts (Hymenoptera, Apiformes, Megachilidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*, 85, 27-35.

- Sedivy, C., Piskorski, R., Müller, A. & Dorn, S. (2012): Too low to kill: concentration of the secondary metabolite ranunculin in buttercup pollen does not affect bee larval survival. *Journal of Chemical Ecology*, 38, 996-1002.
- Schulze, J., Oeschger, L., Gross, A., Müller, A., Stoll, P. & Erhardt, A. (2012): Solitary bees – potential vectors for gene flow from cultivated to wild strawberries. *Flora*, 207, 762-767.
- Sedivy, C., Dorn, S., Widmer, A. & Müller, A. (2013): Host range evolution in a selected group of osmiine bees (Hymenoptera: Megachilidae): the Boraginaceae-Fabaceae paradox. *Biological Journal of the Linnean Society*, 108, 35-54.
- Sedivy, C., Dorn, S. & Müller, A. (2013): Molecular phylogeny of the bee genus *Hoplitis* (Megachilidae: Osmiini) – how does nesting biology affect biogeography? *Zoological Journal of the Linnean Society*, 167, 28-42.
- Haider, M., Dorn, S. & Müller, A. (2013): Intra- and interpopulational variation in the ability of a solitary bee species to develop on non-host pollen: implications for host range expansion. *Functional Ecology*, 27, 255-263.
- Sedivy, C., Dorn, S. & Müller, A. (2013): Evolution of nesting behaviour and kleptoparasitism in a selected group of osmiine bees (Hymenoptera: Megachilidae). *Biological Journal of the Linnean Society*, 108, 349-360.
- Eckhardt, M., Haider, M., Dorn, S. & Müller, A. (2014): Pollen mixing in pollen generalist solitary bees: a strategy to complement or mitigate unfavourable pollen properties? *Journal of Animal Ecology*, 83, 588-597.
- Gotlieb, A., Pisanty, G., Rozen, J.G., Müller, A., Röder, G., Sedivy, C. & Praz, C. (2014): Nests, floral preferences, and immatures of the bee *Haetosmia vechti* (Hymenoptera, Megachilidae, Osmiini). *American Museum Novitates*, 3808, 1-20.
- Haider, M., Dorn, S. & Müller, A. (2014): Better safe than sorry? Flowers, which morphologically restrict access to their pollen, exhibit unfavourable pollen properties for bee larval development. *Arthropod-Plant Interactions*, 8, 221-231.
- Haider, M., Dorn, S., Sedivy, C. & Müller, A. (2014): Phylogeny and floral hosts of a predominantly pollen generalist group of mason bees (Megachilidae, Osmiini). *Biological Journal of the Linnean Society*, 111, 78-91.

- Mauss, V. & Müller, A. (2014): First contribution to the bionomics of the pollen wasp *Celonites fischeri* Spinola, 1838 (Hymenoptera, Vespidae, Masarinae) in Cyprus. *Journal of Hymenoptera Research*, 39, 119-153.
- Müller, A. (2014): Palaeartic *Hoplitis* bees of the subgenera *Chlidoplitis* and *Megahoplitis* (Megachilidae, Osmiini): biology, taxonomy and key to species. *Zootaxa*, 3765, 161-174.
- Müller, A. (2014): Palaeartic *Hoplitis* bees of the subgenus *Stenosmia* (Megachilidae, Osmiini): biology, taxonomy and key to species. *Zootaxa*, 3765, 301-316.
- Müller, A. & Trunz, V. (2014): Palaeartic osmiine bees of the genera *Hofferia* and *Stenoheriades* (Megachilidae, Osmiini): biology, taxonomy and key to species. *Zootaxa*, 3765, 175-186.
- Müller, A. (2015): Palaeartic *Hoplitis* bees of the subgenus *Platosmia* (Megachilidae, Osmiini): biology, taxonomy and key to species. *Zootaxa*, 3936, 71-81.
- Müller, A. (2015): Palaeartic *Chelostoma* bees of the subgenus *Gyrodromella* (Megachilidae, Osmiini): biology, taxonomy and key to species. *Zootaxa*, 3936, 408-420.
- Müller, A. (2015): Nest architecture and pollen hosts of the borealpine osmiine bee species *Hoplitis* (*Alcidamea*) *tuberculata* (Hymenoptera, Megachilidae). *Journal of Hymenoptera Research*, 47, 53-64.
- Müller, A. (2016): *Hoplitis* (*Hoplitis*) *galichicae* spec. nov., a new osmiine bee species from Macedonia with key to the European representatives of the *Hoplitis adunca* species group (Megachilidae, Osmiini). *Zootaxa*, 4111, 167-176.
- Müller, A. & Mauss, V. (2016): Palaeartic *Hoplitis* bees of the subgenera *Formicapis* and *Tkalcua* (Megachilidae, Osmiini): biology, taxonomy and key to species. *Zootaxa*, 4127, 105-120.
- Mauss, V. & Müller, A. (2016): Contribution to the bionomics of the pollen wasp *Quartinia canariensis* Blüthgen, 1958 (Hymenoptera, Vespidae, Masarinae) in Fuerteventura (Canary Islands, Spain). *Journal of Hymenoptera Research*, 50, 1-24.
- Prosi, R., Wiesbauer, H. & Müller, A. (2016): Distribution, biology and habitat of the rare European osmiine bee species *Osmia* (*Melanosmia*) *pilicornis* (Hymenoptera, Megachilidae, Osmiini). *Journal of Hymenoptera Research*, 52, 1-36.

- Müller, A. (2017): Palaearctic Protosmia bees of the subgenus Chelostomopsis (Megachilidae, Osmiini): biology, taxonomy and key to species. *Zootaxa*, 4227, 287-294.
- Müller, A., Mauss, V. & Prosi, R. (2017): Unique nest architecture in the North African osmiine bee *Hoplitis* (*Hoplitis*) *mucida* (Hymenoptera, Megachilidae). *Journal of Hymenoptera Research*, 60, 99-109.
- Müller, A. & Griswold, T. (2017): Osmiine bees of the genus *Haetosmia* (Megachilidae, Osmiini): biology, taxonomy and key to species. *Zootaxa*, 4358, 351-364.
- Müller, A. (1990): Die Bienenfauna (Hymenoptera, Apoidea) des Schaffhauser Randens (Nordschweizer Jura). *Mitteilungen der Naturforschenden Gesellschaft Schaffhausen*, 35, 1-35.
- Müller, A. (1992): *Osmia melanura* Morawitz, 1871, eine helicophile Bienenart aus dem Mittelmeerraum (Hymenoptera, Megachilidae). *Entomofauna*, 13, 273-280.
- Müller, A. & Gosteli, M. (1992): Die Schnecken, Heuschrecken, Tagfalter und Bienen des Randen-Schutzgebietes "Ladel", Merishausen (Nordschweizer Jura). *Mitteilungen der Naturforschenden Gesellschaft Schaffhausen*, 37, 51-76.
- Müller, A. & Noger, P. (1992): Zur Insektenfauna von Gersau-Oberholz, Kanton Schwyz. XII. Hymenoptera 2: Apoidea (Bienen) 1. *Entomologische Berichte Luzern*, 27, 117-122.
- Westrich, P., Westrich, L. & Müller, A. (1992): Beobachtungen zur Nachtruhe der Kraftbiene *Biastes emarginatus* (Schenck) (Hymenoptera, Apoidea, Anthophoridae). - *Linzer biologische Beiträge*, 24, 3-12.
- Müller, A. (1994): Die Bionomie der in leeren Schneckengehäusen nistenden Biene *Osmia spinulosa* (Kirby 1802) (Hymenoptera, Megachilidae). *Veröffentlichungen für Naturschutz und Landschaftspflege Baden-Württemberg*, 68/69, 291-334.
- Herrmann, M. & Müller, A. (1999): Wenn die Gülle geht – Wieviele Bienen können in einer extensiv genutzten Agrarlandschaft leben (Hymenoptera, Apidae)? *Mitteilungen der Naturforschenden Gesellschaft Schaffhausen*, 44, 175-202.
- Herrmann, M., Burger, F., Müller, A. & Tischendorf, S. (2003): Verbreitung, Lebensraum und Biologie der Furchenbiene *Lasioglossum pallens* (Brullé 1832) und ihrer Kuckucksbiene *Sphecodes majalis* Pérez 1903 in Deutschland (Hymenoptera, Apidae, Halictinae). *Carolinea*, 61,

Nicht-referierte Publikationen

- Müller, A. (2008): A specialized pollen-harvesting device in European bees of the genus *Tetraloniella* (Apidae, Eucerini). *Linzer biologische Beiträge*, 40, 881-884.
- Dathe, H.H., Ebmer, A.W., Engel, M.S., Gusenleitner, F., Hartmann, P., Kuhlmann, M., Müller, A., Risch, S., Scheuchl, E. & Schwarz, M. (2008): Order Hymenoptera, superfamily Apoidea, Series Anthophila. In: van Harten, A. (ed.), *Arthropod Fauna of the UAE*, vol. 2, 335-432.
- Lambelet-Haueter, C., Burgisser, L., Clerc, P., Gloor, S., Moeschler, P., Monney, J.-C., Müller, A., Price, M., Ruckstuhl, M., Cavin, J. S. and Zbinden, N. (2010): Siedlungsentwicklung. In: Lachat, T. et al. (eds.), *Wandel der Biodiversität in der Schweiz seit 1900*, Zürich, Bristol-Stiftung, Haupt, 224-265.
- Zurbuchen, A., Müller, A. and Dorn, S. (2010) Kurze Flugdistanzen zwischen Nist- und Nahrungshabitaten fördern eine reiche Wildbienenfauna. *Agrarforschung Schweiz*, 1, 360-365.
- Müller, A., Krebs, A. & Amiet, F. (1997): *Bienen - Mitteleuropäische Gattungen, Lebensweise, Beobachtung*. Naturbuch Verlag, Augsburg, 384 pp.
- Amiet, F., Müller, A. & Neumeyer, R. (1999): *Apidae 2: Colletes, Dufourea, Hylaeus, Nomia, Nomioides, Rhophitoides, Rophites, Sphecodes, Systropha*. *Fauna Helvetica* 4, 219 pp., CSCF & SEG.
- Amiet, F., Herrmann, M., Müller, A. & Neumeyer, R. (2001): *Apidae 3: Halictus, Lasioglossum*. *Fauna Helvetica* 6, 208 pp., CSCF & SEG.
- Amiet, F., Herrmann, M., Müller, A. & Neumeyer, R. (2004): *Apidae 4: Anthidium, Chelostoma, Coelioxys, Dioxys, Heriades, Lithurgus, Megachile, Osmia, Stelis*. *Fauna Helvetica* 9, 273 pp., CSCF & SEG.
- Amiet, F., Herrmann, M., Müller, A. & Neumeyer, R. (2007): *Apidae 5: Ammobates, Ammobatoides, Anthophora, Biastes, Ceratina, Dasypoda, Epeoloides, Epeolus, Eucera, Macropis, Melecta, Melitta, Nomada, Pasites, Tetralonia, Thyreus, Xylocopa*. *Fauna Helvetica* 20, 356 pp., CSCF & SEG.
- Amiet, F., Herrmann, M., Müller, A. and Neumeyer, R. (2010): *Apidae 6: Andrena, Melitturga, Panurginus, Panurgus*. *Fauna Helvetica* 26, 316 pp., CSCF & SEG.

Bücher, Monographien

- Müller, A. (1991): *Wildbienen im Schaffhauser Randen*. Neujahrsblatt der Naturforschenden Gesellschaft Schaffhausen, 43, 76 pp.

- Zurbuchen, A. and Müller, A. (2012): Wildbienenenschutz – Von der Wissenschaft zur Praxis. Zürich, Bristol-Stiftung, Haupt, 162 pp.
- Amiet F., Müller, A. & Praz, C. (2017): Apidae 1: Allgemeiner Teil, Gattungen, Apis, Bombus. Fauna Helvetica 29, 185 pp., CSCF & SEG.

Populärwissenschaftliche Artikel

- Müller, A. (1997): Wildbienen: Die summierte Mehrheit. *Ornis*, 2, 4-9.
- Müller, A. (2006): Die Fracht der Bienen. Was Sammlungsbelege alles verraten können. *Hotspot*, 13, 9.
- Guntern, J., Suhner, M., Neumann, P. & Müller, A. (2014): Bienen und andere Bestäuber: Bedeutung für Landwirtschaft und Biodiversität. *Swiss Academies Factsheets*, 9 (1), 1-4.
- Pfiffner, L. & Müller, A. (2014): Wildbienen und Bestäubung. Faktenblatt Forschungsinstitut für biologischen Landbau (FiBL), 8 pp.
- Di Giulio, M. & Müller, A. (2015): Blumenreiche Lebensräume und Wildbienen im Siedlungsgebiet. *BirdLife-Praxishilfe Biodiversität*, 44 pp.


- Müller, A. (2015): Wildbienen – anspruchsvoll, gefährdet, unersetzlich. *Ornis*, 2, 6-11.

Expertenberichte

- Gallmann, P., Charrière, J.-D., Dietemann, V. Albrecht, M., Knauer, K., Neumann, P., Ritter, R., Sieber, R., Di Labio, E., Cropt, A., Müller, A., Cordillot, F. (2014): Expertenbericht – Vorschläge für Massnahmen zur Förderung der Gesundheit der Bienen. Bericht im Auftrag des Bundesamtes für Landwirtschaft und der Agroscope als Grundlage für eine Antwort des Bundesrates an das Parlament im Rahmen der Motion UREK 13.3372.

Webseiten

- Bénon, D., Müller, A., Giriens, S., Neumeier, R. & Praz, C.: Abeilles sauvages de Suisse. CSCF & UNINE, <http://abeilles-sauvages.ch>.
- Müller, A.: Palaeartic Osmiine Bees. ETH Zürich, <http://blogs.ethz.ch/osmiini>.



- Kuhlmann, M., Ascher, J.S., Dathe, H.H., A.W. Ebmer, A.W., † Hartmann, P., Michez, D., Müller, A., Patiny, S., Pauly, A., Praz, C., Rasmont, P., Risch, S., Scheuchl, E., Schwarz, M., Terzo, M., Williams, P.H., Amiet, F., Baldock, D., Berg, Ø., Bogusch, P., Calabuig, I., Cederberg, B., Gogala, A., Gusenleitner, F., Josan, Z., Madsen, H.B., Nilsson, A., Ødegaard, F., Ortiz-Sanchez, J., Paukkunen, J., Pawlikowski, T., Quaranta, M., Roberts, S.P.M., Sáropataki, M., Schwenninger, H.-R., Smit, J., Söderman, G. & Tomozei, B.: Checklist of the Western Palearctic Bees (Hymenoptera: Apoidea: Anthophila). <http://westpalbees.myspecies.info>.